



Features & Components



INTERNAL COMPONENTS

Divide & Conquer® Flexible Cooking System



AMP FireBox



KAMADOJOE

Kontrol Tower Top Vent



Air Lift Hinge



Latch



Shelves



Tools



Wheels



Slide-Out Ash Drawer



Handle



Gasket



Thermometer

Specifications

Dimensions	Cooking Surface	Weight	Heat Range
46.5 in W x 48 in H x 28 in D	256 sq in (407 sq in with rack extension)	250 lbs	225°F-750°F+
118.1 cm W x 121.9 cm H x 71.1 cm D	1,646 sq cm (2,619 sq cm with rack extension)	113 kg	82°C-399°C

Materials


Base/Dome	High Fire Heat-Resistant Ceramics	Latch	Aluminum	
Glaze	Heat-Resistand Ceramic Coating	Handles/Shelves	HDPE (High-Density Polyethylene)	
Top Vent	Cast Aluminum	Hinge	Full Counter Balanced Steel	
Grill Grates	304 Stainless Steel	Bottom Vent	304 Stainless Steel	
FireBox	High-Fire Heat-Resistant Ceramics	Cart	Powder-Coated Cast Iron	
Gasket	Wire Mesh Fiberglass	FireBox Ring	304 Stainless Steel	

Classic II Dimensions & Installation Guide


IMPORTANT DIMENSION NOTES

Please use this as a general guide for installing a Classic II ceramic grill in a built-in outdoor kitchen or grill table. We highly recommend that the actual grill being installed be measured. Drawing is not to scale.

SIDE VIEW



OPEN CLEARANCE



TOP VIEW

